



WIND-DAM

RETRACTABLE RAILINGS

The only producer in Poland!





Wind-Dam Systems is an innovative, retractable glass railing. Designed for spaces exposed to the elements of wind, sand and noise.

With a single movement the glass height is easily increased or lowered to suit the weather conditions or your preference.

We specialize in creating custom retractable railings and our electrically operated designs provide both style and functionality

Wind-Dam railings fulfil a practical protective function, they increase the comfort of the area and the user. They can be used on balconies and gardens, restaurants, terraces and swimming pools.




WIND-DAM

Terrace
balustrade




WIND-DAM

Freestanding balustrade with
aluminum flowerpot




WIND-DAM

Freestanding balustrade
with a steel base



WIND-DAM

Freestanding balustrade with
aluminum flowerpot on wheels




*All our products included in the catalog can be made to a customer's individual size.

Types of balustrades

WIND-DAM

Retractable gate




WIND-DAM

Balcony balustrade




WIND-DAM

Freestanding balustrade with a wooden bench





WIND-DAM

Freestanding partition with a aluminium flowerpot






*All our products included in the catalog can be made to a customer's individual size.

Technical data




Specification of Wind-Dam balustrades						
Type of installation	Heights	Material	Module length	Strength	Wind resistance	Working temperature
For the floor	1,1-1,8m	Aluminium, glass, stainless steel	1,0m	3 kN/m	open - 120 km/h close - 200km/h	-20°C +60°C
			1,2m	2 kN/m		
			1,4m	2 kN/m		
			1,6m	2 kN/m		

Corner view from top




Specification of Wind-Dam balustrades						
Type of installation	Heights	Material	Module length	Strength	Wind resistance	Working temperature
Bottom-up	1,1-1,8m	Aluminium, glass, stainless steel	1,0m	3 kN/m	open - 120 km/h close - 200km/h	-20°C +60°C
			1,2m	2 kN/m		
			1,4m	2 kN/m		
			1,6m	2 kN/m		

Corner view from top




WIND-DAM

Terrace with
pergola with lamella
roof




WIND-DAM

Terrace with awning



WIND-DAM

Terrace with
photovoltaic roof




*All our products included in the catalog can be made to a customer's individual size.



WIND-DAM Steel modular construction



Multiple configurations available Also with height adjustment



Possible options for the terrace: composite board or wooden board



*All our products included in the catalog can be made to a customer's individual size.